

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US Patents OCR Backfile
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletin Database

Term:	(("6552131")!.PN.) .USPT.		
--------------	-----------------------------	--	--

Display:	<input type="text" value="50"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	---------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, March 20, 2009 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L53</u>	(("6552131")!.PN.) .USPT.	1	<u>L53</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L52</u>	l51 and l6	11	<u>L52</u>
<u>L51</u>	l46 not l47	11	<u>L51</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L50</u>	l46 not l47	0	<u>L50</u>
<u>L49</u>	l45 and l48	2	<u>L49</u>
<u>L48</u>	(("20080057429" "20070148580")!.PN.) .PGPB.	2	<u>L48</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L47</u>	(("20060232662" "20050182561" "20020156739" "20080057429" "20030236617" "20060281860" "20050138025" "20020135972" "20080014912" "20050065713" "20070148580" "20040158395")!.PN.) .PGPB. (("6931321" "7383122")!.PN.) .USPT.	14	<u>L47</u>
<u>L46</u>	l6 and L45	25	<u>L46</u>
<u>L45</u>	higuchi, shoichi or ogawa, satoshi or tokunaga, hironobu	101	<u>L45</u>

L44 133 and 143 9 L44
L43 138 and 139 9 L43
DB=DWPI; PLUR=YES; OP=ADJ
L42 20070027257 1 L42
L41 20030156238 1 L41
L40 20060128892 1 L40
DB=PGPB,USPT; PLUR=YES; OP=ADJ
 ("20060128892" | "20030156238")!.PN.) .PGPB. | ("4469845" |
L39 "5196483" | "6331591" | "7211626" | "6143826" | "6395829" | 9 L39
 "6909480")!.PN.) .USPT.
L38 refractive near6 l36 near9 (difference or matching or matched) 17 L38
L37 refractive near6 l36 73 L37
L36 triblock copolymer or l35 86918 L36
L35 block copolymer 85643 L35
L34 l15 and L33 1 L34
L33 transparent or transparency or haze or refractive 754382 L33
L32 l15 and l23 1 L32
L31 alloying and l15 and refractive 1 L31
L30 l15 and refractive 1 L30
L29 l15 and controlled same refractive 0 L29
L28 l26 and l25 4 L28
L27 l26 and resistivity 4 L27
 ("20020119382")!.PN.) .PGPB. | ("6002901" | "5306587" |
L26 "6212346")!.PN.) .USPT. 4 L26
L25 charge transporting near6 resistivity 35 L25
L24 l15 and L23 1 L24
L23 transparent or transparency or haze or refractive 195325 L23
L22 20060281860 1 L22
L21 l15 and L20 1 L21
L20 insulating near9 resistivity 5962 L20
L19 l15 and L18 0 L19
L18 transporting near9 resistivity 117 L18
DB=USPT; PLUR=YES; OP=ADJ
L17 l5 and l15 2 L17
L16 l12 and l15 2 L16
L15 ("6552131" | "6020426")!.PN.) .USPT. 2 L15
DB=PGPB,USPT; PLUR=YES; OP=ADJ
L14 l5 and l13 25 L14
 ("20030173568" | "20050112886" | "20040012001" | "20030100656" |
 "20050004303")!.PN.) .PGPB. | ("4053441" | "7166656" | "5500537" |
L13 "7261840" | "6552131" | "3963803" | "7175782" | "4604425" | "5279773" | 25 L13
 "6020426" | "5342717" | "4698388" | "7179672" | "5310823" | "6825056" |
 "4745030" | "5298558" | "5767219" | "5190989" |

"3639163")!.PN.) .USPT.

<u>L12</u>	110 and L11	25	<u>L12</u>
<u>L11</u>	16 near6 (polymer or copolymer)	117474	<u>L11</u>
<u>L10</u>	18 not 19	115	<u>L10</u>
	(("20080272492" "20070194394" "20070243695" "20060030108"		
	"20060233494" "20060177749" "20060231966" "20070210037"		
<u>L9</u>	"20090001336" "20080060300" "20080109775" "20060281860"	19	<u>L9</u>
	"20050049360" "20060131169")!.PN.) .PGPB. ("7300560" "7231101"		
	"6701509" "7408802" "7485559")!.PN.) .USPT.		
<u>L8</u>	15 and L7	134	<u>L8</u>
<u>L7</u>	L6.ab.	131973	<u>L7</u>
<u>L6</u>	block or triblock or diblock or multiblock	2261886	<u>L6</u>
<u>L5</u>	13 near8 L4	797	<u>L5</u>
<u>L4</u>	block or sequence	2778103	<u>L4</u>
<u>L3</u>	resistivity	130754	<u>L3</u>
<u>L2</u>	volume resistivity	12287	<u>L2</u>
<u>L1</u>	5,891,962 and (thick or mil or thickness or mm)	19	<u>L1</u>

END OF SEARCH HISTORY